

# esi



## Acrylic Screen specification guide





# Table of Contents

- Acrylic screen overview . . . . . 7
- Single Acrylic screen . . . . . 8
- U Shape Acrylic screen. . . . .14
- Cleaning Instructions. . . . .14



Product shown: U Shape Acrylic clear screen with low profile brackets and a 4.0" access slot, VictoryLX 2-leg, Kata, FlexCharge4, MP Standard

# Acrylic screens

## Protective screens

Easily convert your open plan office to a more secluded environment with ESI's new acrylic screens. There are many options to choose from to quickly retrofit your space when it's time to get your team back to the office -safely. Available in Single and U-Shaped styles, select the size, optional features, aesthetic style and mounting option you want. These simple additions will quickly reduce the risk in your office and provide peace of mind.

Acrylic screens



# Acrylic screen overview

## How to order:

The Acrylic screens are customizable and can be configured to work with an existing workspace.

Screens are available in Single or U-shape

Five different lengths and three different heights to accommodate existing workstations

A variety of gapping to be compatible with work gear that is already being used

Styles include clear and frosted acrylic

Bracket available in three finishes  
Silver (-SLV), Black (-BLK) or White (-WHT)

## Part number breakdown:

1. Pick your acrylic screen type

ACRS-2424-NG-CLR-SLV

2. Pick your table base finish

ACRS-2424-NG-CLR-SLV

3. Pick screen gapping

ACRS-2424-NG-CLR-SLV

4. Pick screen style

ACRS-2424-NG-CLR-SLV

5. Pick bracket color

ACRS-2424-NG-CLR-SLV

ACRS-2424-NG-CLR-SLV

*This product number represents:*

*Single Acrylic Screen*

*24.0" length, 24.0" height*

*No gap*

*Clear*

*Silver brackets*

## General Information

### Acrylic screens

Acrylic screens can be used to retrofit any workspace and are compatible with most of your existing ESI work gear

Warranty: 5 yr.

### Sizing

ESI acrylic screens stated lengths reflect nominal dimensions. Actual screen dimensions are 3.375" shorter than worksurface


### Lead times

All acrylic screens are **LT** indicating that the lead time may vary depending on quantities, sizes and product availability. Please contact our Customer Service Department if delivery date is needed when placing orders for products marked with LT.


# Single Acrylic screen | Post style bracket

## Product specs

- Quickly retrofit an existing workspace
- Provides separation and peace of mind when coming back to the office
- Available lengths: 24.0", 30.0", 36.0", 48.0", 60.0", and 72.0" (screens will be 3.375" shorter than worksurface)
- Available heights : 24.0", 30.0", 36.0" (height is measured from the top of worksurface to top of screen. screens will be 0.75" shorter than nominal height shown)
- Available brackets: post brackets
- Brackets are available in black, silver and white finish
- Available screen styles: Clear and Frosted
- Screen thickness:
  - Clear: 0.24"
  - Frosted: 0.22"
- Available access opening:
  - No gap
  - 4.0" access slot
- Each size and style of screen comes with two brackets per section
- Post brackets will include screw mounting hardware for easy installation
- UL 94 Certified
- Minimum order requirements:
  - Standard screen sizes have NO minimum order qty
  - Custom orders will be assessed on a case-by-case basis depending on the size
- Rounded edges and corners for user safety.
- Lead time 2-4 weeks, pending acrylic is available
- Custom options available, contact our Customer Service Department with questions.
- Made of general purpose cast acrylic
- Compatible with ESI products. See table on next page for breakout.
- Warranty: 5 yr.



Acrylic Single screen | Post bracket | No gap | Clear



Acrylic Single screen | Post bracket | 4.0" access slot | Clear

## Cleaning/Care instructions

Clean with soap and water and a soft cloth, or non abrasive cleaners that do not contain ammonia. For more detailed cleaning instructions see page 23.



post bracket available in Black (BLK), Silver (SLV), and White (WHT)



### Compatible ESI products

All monitor arms are compatible with all screens if grommet mounted. Desk clamp compatibility can be found below:

Monitor arms	Mounting style		Post style bracket		
	Desk clamp	No gap	4.0" access slot		
<b>KataEX series</b>					
All single configurations	●	●	●		
All double configurations	●	●	●		
All triple configurations	●	●	●		
All quad configurations	●	●	●		
All six configurations	●	●	●		
<b>Kata series</b>					
Kata	●	●	●		
Kata2	●	●	●		
Kata2-MS	●	●	●		
<b>Evolve series</b>	*Note: Only when the mounting stems to the pole are at 180 and 90 degrees to the post				
All single configurations	-	-	-		
All double configurations	-	-	-		
All triple configurations	-	-	-		
All quad configurations	-	-	-		
All six configurations	-	-	-		
<b>Edge series</b>					
Edge	-	-	-		
Edge2	-	-	-		
Edge2-MS	-	-	-		
Edge-Max	-	-	-		
Edge2-Max	-	-	-		
Edge-Max-Dual	-	-	-		
<b>Eppa series</b>					
Eppa	●	-	●		
Eppa2	●	-	●		
<b>Power solutions</b>	Post style bracket			Low profile style bracket	
<b>Desktop/Tabletop power</b>	No gap	2.0" gap	4.0" access slot	No gap	4.0" access slot
FlexCharge9	-	●	●	-	●
FlexCharge4CX	-	●	●	-	●
FlexCharge4C	-	●	●	-	●
FlexCharge4	-	●	●	-	●
FlexCharge3	-	●	●	-	●
<b>Workstation Power</b>					
Railway	●	●	●	●	●

**Acrylic screen lengths and heights**


Available lengths: 24.0", 30.0", 36.0", 48.0", 60.0", and 72.0" nominal




**Acrylic screen thickness**




**Acrylic Single screen | Post bracket | 4.0" gap access slot**




**Acrylic Single screen | Post bracket | No gap**



**Post bracket**



**Acrylic screen model # breakdown:**



- a: type of screen
- b: screen length
- c: screen height
- d: gapping
- e: screen style
- f: bracket finish

**Available single screens**

ACRS- Single acrylic screen

**Available lengths**

*Lengths shown are nominal. Actual screen dimensions are 3.375" shorter than worksurface*

- 24.0"
- 30.0"
- 36.0"
- 48.0"
- 60.0"
- 72.0"

**Available heights**

- 24.0"
- 30.0"
- 36.0"

**Available gapping options**

- NG- No gap
- 4G- 4.0" access slot

**Available screen styles**

- CLR- Clear
- FST- Frosted

**Available bracket finishes**

- BLK- Black
- SLV- Silver
- WHT- White

# Single Acrylic screen | Post style bracket

## Build a Single Acrylic screen | Post style bracket

All Acrylic screens are **LT**. The acrylic screens have a standard lead time of 2-4 weeks, pending acrylic is available.

1. Pick the screen type:

**ACRS** Acrylic screen - Single

2. Pick the length: *screens stated lengths reflect nominal dimensions. Actual screen dimensions are 3.375" shorter than worksurface*

**24.0"**  
**30.0"**  
**36.0"**  
**48.0"**  
**60.0"**  
**72.0"**

3. Pick the height: *height is measured from the top of worksurface to top of screen. screens will be 0.75" shorter than nominal height shown*

**24.0"**  
**30.0"**  
**36.0"**

4a. Pick the worksurface gapping and screen style:

**NG-CLR** No gap, Clear  
**NG-FST** No gap, Frosted

4b. Pick the worksurface gapping and screen style:

**4G-CLR** 4.0" access slot, Clear  
**4G-FST** 4.0" access slot, Frosted

5. Pick the post bracket finish:

**BLK** Black  
**SLV** Silver  
**WHT** White

6a List price for steps 1-4a

**ACRS-2424-NG-CLR-\_\_\_** \$389  
**ACRS-3024-NG-CLR-\_\_\_** \$398  
**ACRS-3624-NG-CLR-\_\_\_** \$462  
**ACRS-4824-NG-CLR-\_\_\_** \$481  
**ACRS-6024-NG-CLR-\_\_\_** \$500  
**ACRS-7224-NG-CLR-\_\_\_** \$643

**ACRS-2424-NG-FST-\_\_\_** \$422  
**ACRS-3024-NG-FST-\_\_\_** \$458  
**ACRS-3624-NG-FST-\_\_\_** \$530  
**ACRS-4824-NG-FST-\_\_\_** \$537  
**ACRS-6024-NG-FST-\_\_\_** \$773  
**ACRS-7224-NG-FST-\_\_\_** \$788

6b. List price for steps 1-4b

**ACRS-2424-4G-CLR-\_\_\_** \$389  
**ACRS-3024-4G-CLR-\_\_\_** \$398  
**ACRS-3624-4G-CLR-\_\_\_** \$462  
**ACRS-4824-4G-CLR-\_\_\_** \$481  
**ACRS-6024-4G-CLR-\_\_\_** \$500  
**ACRS-7224-4G-CLR-\_\_\_** \$643

**ACRS-2430-NG-CLR-\_\_\_** \$389  
**ACRS-3030-NG-CLR-\_\_\_** \$414  
**ACRS-3630-NG-CLR-\_\_\_** \$462  
**ACRS-4830-NG-CLR-\_\_\_** \$481  
**ACRS-6030-NG-CLR-\_\_\_** \$546  
**ACRS-7230-NG-CLR-\_\_\_** \$643

**ACRS-2430-NG-FST-\_\_\_** \$457  
**ACRS-3030-NG-FST-\_\_\_** \$600  
**ACRS-3630-NG-FST-\_\_\_** \$606  
**ACRS-4830-NG-FST-\_\_\_** \$616  
**ACRS-6030-NG-FST-\_\_\_** \$1,198  
**ACRS-7230-NG-FST-\_\_\_** \$1,212

**ACRS-2430-4G-CLR-\_\_\_** \$389  
**ACRS-3030-4G-CLR-\_\_\_** \$414  
**ACRS-3630-4G-CLR-\_\_\_** \$462  
**ACRS-4830-4G-CLR-\_\_\_** \$481  
**ACRS-6030-4G-CLR-\_\_\_** \$546  
**ACRS-7230-4G-CLR-\_\_\_** \$643

**ACRS-2436-NG-CLR-\_\_\_** \$462  
**ACRS-3036-NG-CLR-\_\_\_** \$472  
**ACRS-3636-NG-CLR-\_\_\_** \$609  
**ACRS-4836-NG-CLR-\_\_\_** \$629  
**ACRS-6036-NG-CLR-\_\_\_** \$643  
**ACRS-7236-NG-CLR-\_\_\_** \$925

**ACRS-2436-NG-FST-\_\_\_** \$529  
**ACRS-3036-NG-FST-\_\_\_** \$600  
**ACRS-3636-NG-FST-\_\_\_** \$743  
**ACRS-4836-NG-FST-\_\_\_** \$750  
**ACRS-6036-NG-FST-\_\_\_** \$1,198  
**ACRS-7236-NG-FST-\_\_\_** \$1,212

**ACRS-2436-4G-CLR-\_\_\_** \$462  
**ACRS-3036-4G-CLR-\_\_\_** \$472  
**ACRS-3636-4G-CLR-\_\_\_** \$609  
**ACRS-4836-4G-CLR-\_\_\_** \$629  
**ACRS-6036-4G-CLR-\_\_\_** \$643  
**ACRS-7236-4G-CLR-\_\_\_** \$925

All brackets are available in the below colors. Include color code at the end of part number

**BLK** Black  
**SLV** Silver  
**WHT** White

Lead time may vary depending on quantities ordered and their availability.

ACRS-2424-4G-FST-___	\$422
ACRS-3024-4G-FST-___	\$458
ACRS-3624-4G-FST-___	\$530
ACRS-4824-4G-FST-___	\$537
ACRS-6024-4G-FST-___	\$773
ACRS-7224-4G-FST-___	\$788

ACRS-2430-4G-FST-___	\$457
ACRS-3030-4G-FST-___	\$600
ACRS-3630-4G-FST-___	\$606
ACRS-4830-4G-FST-___	\$616
ACRS-6030-4G-FST-___	\$1,198
ACRS-7230-4G-FST-___	\$1,212

ACRS-2436-4G-FST-___	\$529
ACRS-3036-4G-FST-___	\$600
ACRS-3636-4G-FST-___	\$743
ACRS-4836-4G-FST-___	\$750
ACRS-6036-4G-FST-___	\$1,198
ACRS-7236-4G-FST-___	\$1,212

# U Shape Acrylic screen

## Product specs

- Quickly retrofit an existing workspace
- Provides separation and peace of mind when coming back to the office
- Available lengths: 36.0", 48.0", 60.0", and 72.0"  
*(screens will be 3.375" shorter than worksurface)*
- Available heights: 24.0", 30.0", 36.0"\**(\*post bracket only) (height are measured from the top of worksurface to top of screen. Screens will be 0.75" shorter than nominal height shown for no gap and 4.0" access slot versions. Screens will be 2.0" shorter than nominal height shown for 2.0" gap version)*
- Available depths: 24.0" and 30.0"
- Available brackets:
  - Post bracket
  - Low profile bracket
  - Corner brackets are provided for U-shape configurations
- Brackets are available in black, silver and white finish, the corner bracket finish matches the main bracket finish
- Available screen styles: Clear and Frosted
- Screen thickness:
  - Clear: 0.24"
  - Frosted: 0.22"
- Available access opening:
  - No gap
  - 2.0" gap (post bracket only)
  - 4.0" access slot
- Each size and style of screen comes with two brackets per section
- Bracket attachment methods:
  - Post brackets will include adhesive and screw mounting hardware
  - Low profile bracket will include adhesive only
- Minimum order requirements:
  - Standard screen sizes have NO minimum order qty
  - Custom orders will be assessed on a case-by-case basis depending on the size
- Rounded edges and corners for user safety.
- UL 94 Certified
- Lead time 2-4 weeks, pending acrylic is available
- Custom options available, contact our Customer Service Department with questions.
- Made of general purpose cast acrylic
- Compatible with ESI products. See table on next page for breakout.
- Warranty: 5 yr.

## Cleaning/Care instructions

Clean with soap and water and a soft cloth, or non abrasive cleaners that do not contain ammonia. For more detailed cleaning instructions see page 23.



Acrylic U Shape screen | Post bracket | No gap | Clear



Acrylic U Shape screen | Post bracket | 2.0" gap | Clear



Acrylic U Shape screen | Post bracket | 4.0" access slot | Clear




Acrylic U Shape screen | Low profile | No gap | Clear



Acrylic U Shape screen | Low profile | 4.0" access slot | Clear



post bracket available in Black (BLK), Silver (SLV), and White (WHT)



low profile available in Black (BLK), Silver (SLV), and White (WHT)

### Compatible ESI products

All monitor arms are compatible with all screens if grommet mounted. Desk clamp compatibility can be found below:

Monitor arms	Mounting style			Post style bracket		Low profile style bracket	
KataEX series	Desk clamp	No gap	2.0" gap	4.0" access slot	No gap	4.0" access slot	
All single configurations	●	●	●	●	●	●	
All double configurations	●	●	●	●	●	●	
All triple configurations	●	●	●	●	●	●	
All quad configurations	●	●	●	●	●	●	
All six configurations	●	●	●	●	●	●	
<b>Kata series</b>							
Kata	●	●	●	●	●	●	
Kata2	●	●	●	●	●	●	
Kata2-MS	●	●	●	●	●	●	
<b>Evolve series</b>	<b>*Note: Only when the mounting stems to the pole are at 180 and 90 degrees to the post</b>						
All single configurations	●	-	-	-	●	●	
All double configurations	●	-	-	-	●	●	
All triple configurations	●	-	-	-	●	●	
All quad configurations	●	-	-	-	●	●	
All six configurations	●	-	-	-	●	●	
<b>Edge series</b>							
Edge	-	-	-	-	-	-	
Edge2	-	-	-	-	-	-	
Edge2-MS	-	-	-	-	-	-	
Edge-Max	-	-	-	-	-	-	
Edge2-Max	-	-	-	-	-	-	
Edge-Max-Dual	-	-	-	-	-	-	
<b>Eppa series</b>							
Eppa	●	-	-	●	-	●	
Eppa2	●	-	-	●	-	●	
<b>Power solutions</b>							
<b>Desktop/Tabletop power</b>	<b>No gap</b>	<b>2.0" gap</b>	<b>4.0" access slot</b>	<b>No gap</b>	<b>4.0" access slot</b>		
FlexCharge9	-	●	●	-	●		
FlexCharge4CX	-	●	●	-	●		
FlexCharge4C	-	●	●	-	●		
FlexCharge4	-	●	●	-	●		
FlexCharge3	-	●	●	-	●		
<b>Workstation Power</b>							
Railway	●	●	●	●	●		




**Main Acrylic screen**

Available lengths: 30.0", 36.0", 48.0", 60.0", and 72.0" nominal



**Side Acrylic screen**


Available depths: 24.0", 30.0" nominal




**Acrylic screen thickness**





**Acrylic U Shape screen | Post bracket | 4.0" access slot**




**Acrylic U Shape screen | Post bracket | 2.0" gap**




**Post bracket**




Acrylic U Shape screen | Low profile bracket | 4.0" gap access slot



Acrylic U Shape screen | Low profile bracket | no gap



Low Profile bracket



Acrylic screen model # breakdown:

ACRU-362424-NG-PST-FST-\_\_-\_\_-\_\_

a | b | c | d | e | f | g | h

- a: type of screen
- b: screen length
- c: screen depth
- d: screen height
- e: gapping
- f: bracket style
- g: screen style
- h: bracket finish

Available single screens

Available lengths

*lengths shown are nominal. Actual screen dimensions are 3.375" shorter than worksurface*

Available heights

Available depth

ACRU- U shape acrylic screen

36.0"

24.0"

24.0"

48.0"

30.0"

30.0"

60.0"

36.0"

72.0"

Available gapping options

Available bracket styles

Available screen styles

Available bracket finishes

NG- No gap

PST- Post style bracket

CLR- Clear

BLK- Black

2G- 2.0" gap

LPF- Low profile style bracket

FST- Frosted

SLV- Silver

4G- 4.0" access gap

WHT- White

# U Shape Acrylic screen | Post style bracket

## Build a U shape Acrylic screen | Post style bracket

All Acrylic screens are LT. The acrylic screens have a standard lead time of 2-4 weeks, pending acrylic is available.

1. Pick the screen type:

**ACRU** Acrylic screen - U-Shape

2. Pick the length: screens stated lengths reflect nominal dimensions. Actual screen dimensions are 3.375" shorter than worksurface

**36.0"**  
**48.0"**  
**60.0"**  
**72.0"**

3. Pick the depth:

**24.0"**  
**30.0"**

4. Pick the height: height is measured from the top of worksurface to top of screen Screens will be 0.75" shorter than nominal height shown for no gap and 4.0" access slot versions.

**24.0"**  
**30.0"**  
**36.0" (post bracket only)**

5a. Pick the worksurface gapping and screen style:

**NG-CLR** No gap, Clear  
**NG-FST** No gap, Frosted

5b. Pick the worksurface gapping and screen style:

**2G-CLR** 2.0" gap, Clear  
**2G-FST** 2.0" gap, Frosted

6a List price for steps 1-4a

ACRU-362424-NG-PST-CLR-___	\$1,184
ACRU-482424-NG-PST-CLR-___	\$1,194
ACRU-602424-NG-PST-CLR-___	\$1,217
ACRU-722424-NG-PST-CLR-___	\$1,365
ACRU-363024-NG-PST-CLR-___	\$1,184
ACRU-483024-NG-PST-CLR-___	\$1,194
ACRU-603024-NG-PST-CLR-___	\$1,217
ACRU-723024-NG-PST-CLR-___	\$1,365
ACRU-362430-NG-PST-CLR-___	\$1,184
ACRU-482430-NG-PST-CLR-___	\$1,194
ACRU-602430-NG-PST-CLR-___	\$1,268
ACRU-722430-NG-PST-CLR-___	\$1,365
ACRU-363030-NG-PST-CLR-___	\$1,233
ACRU-483030-NG-PST-CLR-___	\$1,249
ACRU-603030-NG-PST-CLR-___	\$1,319
ACRU-723030-NG-PST-CLR-___	\$1,416
ACRU-362436-NG-PST-CLR-___	\$1,479
ACRU-482436-NG-PST-CLR-___	\$1,490
ACRU-602436-NG-PST-CLR-___	\$1,513
ACRU-722436-NG-PST-CLR-___	\$1,804
ACRU-363036-NG-PST-CLR-___	\$1,479
ACRU-483036-NG-PST-CLR-___	\$1,490
ACRU-603036-NG-PST-CLR-___	\$1,513
ACRU-723036-NG-PST-CLR-___	\$1,804

ACRU-362424-NG-PST-FST-___	\$1,319
ACRU-482424-NG-PST-FST-___	\$1,328
ACRU-602424-NG-PST-FST-___	\$1,559
ACRU-722424-NG-PST-FST-___	\$1,568
ACRU-363024-NG-PST-FST-___	\$1,389
ACRU-483024-NG-PST-FST-___	\$1,397
ACRU-603024-NG-PST-FST-___	\$1,628
ACRU-723024-NG-PST-FST-___	\$1,638
ACRU-362430-NG-PST-FST-___	\$1,462
ACRU-482430-NG-PST-FST-___	\$1,471
ACRU-602430-NG-PST-FST-___	\$2,054
ACRU-722430-NG-PST-FST-___	\$2,063
ACRU-363030-NG-PST-FST-___	\$1,774
ACRU-483030-NG-PST-FST-___	\$1,753
ACRU-603030-NG-PST-FST-___	\$2,341
ACRU-723030-NG-PST-FST-___	\$2,350
ACRU-362436-NG-PST-FST-___	\$1,742
ACRU-482436-NG-PST-FST-___	\$1,753
ACRU-602436-NG-PST-FST-___	\$2,197
ACRU-722436-NG-PST-FST-___	\$2,207
ACRU-363036-NG-PST-FST-___	\$1,885
ACRU-483036-NG-PST-FST-___	\$1,892
ACRU-603036-NG-PST-FST-___	\$2,341
ACRU-723036-NG-PST-FST-___	\$2,350

6b. List price for steps 1-4b

ACRU-362424-2G-PST-CLR-___	\$1,184
ACRU-482424-2G-PST-CLR-___	\$1,194
ACRU-602424-2G-PST-CLR-___	\$1,217
ACRU-722424-2G-PST-CLR-___	\$1,365
ACRU-363024-2G-PST-CLR-___	\$1,184
ACRU-483024-2G-PST-CLR-___	\$1,194
ACRU-603024-2G-PST-CLR-___	\$1,217
ACRU-723024-2G-PST-CLR-___	\$1,365
ACRU-362430-2G-PST-CLR-___	\$1,184
ACRU-482430-2G-PST-CLR-___	\$1,194
ACRU-602430-2G-PST-CLR-___	\$1,268
ACRU-722430-2G-PST-CLR-___	\$1,365
ACRU-363030-2G-PST-CLR-___	\$1,233
ACRU-483030-2G-PST-CLR-___	\$1,249
ACRU-603030-2G-PST-CLR-___	\$1,319
ACRU-723030-2G-PST-CLR-___	\$1,416
ACRU-362436-2G-PST-CLR-___	\$1,479
ACRU-482436-2G-PST-CLR-___	\$1,490
ACRU-602436-2G-PST-CLR-___	\$1,513
ACRU-722436-2G-PST-CLR-___	\$1,804
ACRU-363036-2G-PST-CLR-___	\$1,479
ACRU-483036-2G-PST-CLR-___	\$1,490
ACRU-603036-2G-PST-CLR-___	\$1,513
ACRU-723036-2G-PST-CLR-___	\$1,804

All brackets are available in the below colors. Include color code at the end of part number

**BLK** Black  
**SLV** Silver  
**WHT** White

Lead time may vary depending on quantities ordered and their availability.

Screens will be 2.0" shorter than nominal height shown for 2.0" gap version

5c. Pick the worksurface gapping and screen style:

**4G-CLR** 4.0" access slot, Clear  
**4G-FST** 4.0" access slot, Frosted

ACRU-362424-2G-PST-FST-___	\$1,319	ACRU-362424-4G-PST-CLR-___	\$1,184	ACRU-362424-4G-PST-FST-___	\$1,319
ACRU-482424-2G-PST-FST-___	\$1,328	ACRU-482424-4G-PST-CLR-___	\$1,194	ACRU-482424-4G-PST-FST-___	\$1,328
ACRU-602424-2G-PST-FST-___	\$1,559	ACRU-602424-4G-PST-CLR-___	\$1,217	ACRU-602424-4G-PST-FST-___	\$1,559
ACRU-722424-2G-PST-FST-___	\$1,568	ACRU-722424-4G-PST-CLR-___	\$1,365	ACRU-722424-4G-PST-FST-___	\$1,568
ACRU-363024-2G-PST-FST-___	\$1,389	ACRU-363024-4G-PST-CLR-___	\$1,184	ACRU-363024-4G-PST-FST-___	\$1,389
ACRU-483024-2G-PST-FST-___	\$1,397	ACRU-483024-4G-PST-CLR-___	\$1,194	ACRU-483024-4G-PST-FST-___	\$1,397
ACRU-603024-2G-PST-FST-___	\$1,628	ACRU-603024-4G-PST-CLR-___	\$1,217	ACRU-603024-4G-PST-FST-___	\$1,628
ACRU-723024-2G-PST-FST-___	\$1,638	ACRU-723024-4G-PST-CLR-___	\$1,365	ACRU-723024-4G-PST-FST-___	\$1,638
ACRU-362430-2G-PST-FST-___	\$1,462	ACRU-362430-4G-PST-CLR-___	\$1,184	ACRU-362430-4G-PST-FST-___	\$1,462
ACRU-482430-2G-PST-FST-___	\$1,471	ACRU-482430-4G-PST-CLR-___	\$1,194	ACRU-482430-4G-PST-FST-___	\$1,471
ACRU-602430-2G-PST-FST-___	\$2,054	ACRU-602430-4G-PST-CLR-___	\$1,268	ACRU-602430-4G-PST-FST-___	\$2,054
ACRU-722430-2G-PST-FST-___	\$2,063	ACRU-722430-4G-PST-CLR-___	\$1,365	ACRU-722430-4G-PST-FST-___	\$2,063
ACRU-363030-2G-PST-FST-___	\$1,774	ACRU-363030-4G-PST-CLR-___	\$1,233	ACRU-363030-4G-PST-FST-___	\$1,774
ACRU-483030-2G-PST-FST-___	\$1,753	ACRU-483030-4G-PST-CLR-___	\$1,249	ACRU-483030-4G-PST-FST-___	\$1,753
ACRU-603030-2G-PST-FST-___	\$2,341	ACRU-603030-4G-PST-CLR-___	\$1,319	ACRU-603030-4G-PST-FST-___	\$2,341
ACRU-723030-2G-PST-FST-___	\$2,350	ACRU-723030-4G-PST-CLR-___	\$1,416	ACRU-723030-4G-PST-FST-___	\$2,350
ACRU-362436-2G-PST-FST-___	\$1,742	ACRU-362436-4G-PST-CLR-___	\$1,479	ACRU-362436-4G-PST-FST-___	\$1,742
ACRU-482436-2G-PST-FST-___	\$1,753	ACRU-482436-4G-PST-CLR-___	\$1,490	ACRU-482436-4G-PST-FST-___	\$1,753
ACRU-602436-2G-PST-FST-___	\$2,197	ACRU-602436-4G-PST-CLR-___	\$1,513	ACRU-602436-4G-PST-FST-___	\$2,197
ACRU-722436-2G-PST-FST-___	\$2,207	ACRU-722436-4G-PST-CLR-___	\$1,804	ACRU-722436-4G-PST-FST-___	\$2,207
ACRU-363036-2G-PST-FST-___	\$1,885	ACRU-363036-4G-PST-CLR-___	\$1,479	ACRU-363036-4G-PST-FST-___	\$1,885
ACRU-483036-2G-PST-FST-___	\$1,892	ACRU-483036-4G-PST-CLR-___	\$1,490	ACRU-483036-4G-PST-FST-___	\$1,892
ACRU-603036-2G-PST-FST-___	\$2,341	ACRU-603036-4G-PST-CLR-___	\$1,513	ACRU-603036-4G-PST-FST-___	\$2,341
ACRU-723036-2G-PST-FST-___	\$2,350	ACRU-723036-4G-PST-CLR-___	\$1,804	ACRU-723036-4G-PST-FST-___	\$2,350

# U Shape Acrylic screen | Low profile style bracket

## Build a U shape Acrylic screen | Low profile style bracket

All Acrylic screens are **LT**. The acrylic screens have a standard lead time of 2-4 weeks, pending acrylic is available.

1. Pick the screen type:

**ACRU** Acrylic screen - U-Shape

2. Pick the length: *screens stated lengths reflect nominal dimensions. Actual screen dimensions are 3.375" shorter than worksurface*

**36.0"**  
**48.0"**  
**60.0"**  
**72.0"**

3. Pick the depth:

**24.0"**  
**30.0"**

4. Pick the height: *height is measured from the top of worksurface to top of screen*

**24.0"**  
**30.0"**

5a. Pick the worksurface gapping and screen style:

**NG-CLR** No gap, Clear  
**NG-FST** No gap, Frosted

5b. Pick the worksurface gapping and screen style:

**4G-CLR** 4.0" gap (access slot), Clear  
**4G-FST** 4.0" gap (access slot), Frosted

6a List price for steps 1–4a

<b>ACRU-362424-NG-LPF-CLR-___</b>	<b>\$717</b>
<b>ACRU-482424-NG-LPF-CLR-___</b>	<b>\$727</b>
<b>ACRU-602424-NG-LPF-CLR-___</b>	<b>\$750</b>
<b>ACRU-722424-NG-LPF-CLR-___</b>	<b>\$898</b>
<b>ACRU-363024-NG-LPF-CLR-___</b>	<b>\$717</b>
<b>ACRU-483024-NG-LPF-CLR-___</b>	<b>\$727</b>
<b>ACRU-603024-NG-LPF-CLR-___</b>	<b>\$750</b>
<b>ACRU-723024-NG-LPF-CLR-___</b>	<b>\$898</b>
<b>ACRU-362430-NG-LPF-CLR-___</b>	<b>\$717</b>
<b>ACRU-482430-NG-LPF-CLR-___</b>	<b>\$727</b>
<b>ACRU-602430-NG-LPF-CLR-___</b>	<b>\$801</b>
<b>ACRU-722430-NG-LPF-CLR-___</b>	<b>\$898</b>
<b>ACRU-363030-NG-LPF-CLR-___</b>	<b>\$766</b>
<b>ACRU-483030-NG-LPF-CLR-___</b>	<b>\$777</b>
<b>ACRU-603030-NG-LPF-CLR-___</b>	<b>\$847</b>
<b>ACRU-723030-NG-LPF-CLR-___</b>	<b>\$949</b>

<b>ACRU-362424-NG-LPF-FST-___</b>	<b>\$851</b>
<b>ACRU-482424-NG-LPF-FST-___</b>	<b>\$860</b>
<b>ACRU-602424-NG-LPF-FST-___</b>	<b>\$1,092</b>
<b>ACRU-722424-NG-LPF-FST-___</b>	<b>\$1,101</b>
<b>ACRU-363024-NG-LPF-FST-___</b>	<b>\$921</b>
<b>ACRU-483024-NG-LPF-FST-___</b>	<b>\$930</b>
<b>ACRU-603024-NG-LPF-FST-___</b>	<b>\$1,161</b>
<b>ACRU-723024-NG-LPF-FST-___</b>	<b>\$1,171</b>
<b>ACRU-362430-NG-LPF-FST-___</b>	<b>\$995</b>
<b>ACRU-482430-NG-LPF-FST-___</b>	<b>\$1,004</b>
<b>ACRU-602430-NG-LPF-FST-___</b>	<b>\$1,587</b>
<b>ACRU-722430-NG-LPF-FST-___</b>	<b>\$1,596</b>
<b>ACRU-363030-NG-LPF-FST-___</b>	<b>\$1,277</b>
<b>ACRU-483030-NG-LPF-FST-___</b>	<b>\$1,286</b>
<b>ACRU-603030-NG-LPF-FST-___</b>	<b>\$1,874</b>
<b>ACRU-723030-NG-LPF-FST-___</b>	<b>\$1,883</b>

6b. List price for steps 1–4b

<b>ACRU-362424-NG-LPF-CLR-___</b>	<b>\$717</b>
<b>ACRU-482424-NG-LPF-CLR-___</b>	<b>\$727</b>
<b>ACRU-602424-NG-LPF-CLR-___</b>	<b>\$750</b>
<b>ACRU-722424-NG-LPF-CLR-___</b>	<b>\$898</b>
<b>ACRU-363024-NG-LPF-CLR-___</b>	<b>\$717</b>
<b>ACRU-483024-NG-LPF-CLR-___</b>	<b>\$727</b>
<b>ACRU-603024-NG-LPF-CLR-___</b>	<b>\$750</b>
<b>ACRU-723024-NG-LPF-CLR-___</b>	<b>\$898</b>
<b>ACRU-362430-NG-LPF-CLR-___</b>	<b>\$717</b>
<b>ACRU-482430-NG-LPF-CLR-___</b>	<b>\$727</b>
<b>ACRU-602430-NG-LPF-CLR-___</b>	<b>\$801</b>
<b>ACRU-722430-NG-LPF-CLR-___</b>	<b>\$898</b>
<b>ACRU-363030-NG-LPF-CLR-___</b>	<b>\$766</b>
<b>ACRU-483030-NG-LPF-CLR-___</b>	<b>\$777</b>
<b>ACRU-603030-NG-LPF-CLR-___</b>	<b>\$847</b>
<b>ACRU-723030-NG-LPF-CLR-___</b>	<b>\$949</b>

All brackets are available in the below colors. Include color code at the end of part number

**BLK** Black  
**SLV** Silver  
**WHT** White

Lead time may vary depending on quantities ordered and their availability.

---

---

---

---

---

---

---

---

---

---

---

ACRU-362424-NG-LPF-FST-___	\$851
ACRU-482424-NG-LPF-FST-___	\$860
ACRU-602424-NG-LPF-FST-___	\$1,092
ACRU-722424-NG-LPF-FST-___	\$1,101

ACRU-363024-NG-LPF-FST-___	\$921
ACRU-483024-NG-LPF-FST-___	\$930
ACRU-603024-NG-LPF-FST-___	\$1,161
ACRU-723024-NG-LPF-FST-___	\$1,171

---

ACRU-362430-NG-LPF-FST-___	\$995
ACRU-482430-NG-LPF-FST-___	\$1,004
ACRU-602430-NG-LPF-FST-___	\$1,587
ACRU-722430-NG-LPF-FST-___	\$1,596

ACRU-363030-NG-LPF-FST-___	\$1,277
ACRU-483030-NG-LPF-FST-___	\$1,286
ACRU-603030-NG-LPF-FST-___	\$1,874
ACRU-723030-NG-LPF-FST-___	\$1,883

---



Product shown: Single Acrylic frosted screen with post brackets and no gap, TriumphLX 2-leg, Kata, Railway

Product shown: U Shape Acrylic clear screen with post brackets and a 4.0” access slot, TriumphLX 2-leg, Kata, MP Standard







Product shown: U Shape Acrylic clear screen with post brackets with no gap, TriumphLX 2-leg, Kata, MP Slim, Railway

## Cleaning Instructions for Acrylic Screen

**First time setup:** Do not attempt to clean immediately after removing the protective paper because the static electricity will attract dust and particles. Wait a day for the static to dissipate before cleaning.

### Step 1

Begin by removing excess dust or dirt from the surface of the acrylic with an air hose or blow dryer set to its coolest setting (never heat acrylic). Hold the blow dryer at a 45-degree angle several inches away from the acrylic and run side-to-side down the surface. Wipe any remaining dust with a soft, lint-free cotton microfiber cloth.

### Step 2

Once excess grime has been blown away, spray a nonabrasive acrylic cleaner, such as Brilliantize or Novus No. 1 onto a one- or two-foot-square section of acrylic. (For an on-hand alternative, a solution of mild dish soap and water works well too.) Never use abrasive cleaners or anything containing Ammonia such as Formula 409®, Windex® or Fantastik®. Ammonia will cause your acrylic to get cloudy and you can't reverse the effects. Bleach solutions and disinfectants are not recommended and can cause damage to the acrylic.

Once the cleaner has been applied, use a soft, lint-free cotton microfiber cloth to gently wipe the surface down, again being careful to make contact only with the portion of the surface that already has cleaner on it. Continue applying the cleaner and wiping it off in small sections until you've finished the entire surface. Do not use a paper towel to clean acrylic because it can cause scratching.

# esi

800.833.3746  
esiergo.com

**Fellowes**  
Brands. | FAMILY BUSINESS  
SINCE 1917

© 2020 Fellowes, Inc. All prices are in U.S. dollars. V33 catalog list pricing.