CR818 & CR828

Manual and Semi-Automatic Paper Creaser

The CR818 Manual and CR828 Semi-Automatic Paper Creasers offer a superior outcome for use with a wide-range of paper stocks. The manual and semi-electric table top design creates the ideal solution for any size creasing project. The CR818 and CR828 produce a wide channel, almost 1/16" of an inch thick crease, creating a hinge effect that distributes the stress of bending the paper fiber over a wider line.

Features of the CR818 & CR828 Paper Creasers

- Large working surface area, six stable feet to hold the machine firmly in place on any flat surface
- Hard-anodized aluminum paper guides/paper stops
- Durable steel construction
- Easy set-up for single or double fold
- Accurately crease a panel up to 14" in width, 18.2" long
- USA manufactured- professional, solid quality fabrication and assembly in Wabash, Indiana

Features of the CR818 Manual Paper Creaser

- Quick and easy set-up, simply remove the packaging, install paper stops and you are ready to begin producing professional quality creased literature
- Smooth, easy lever operation
- Can be transformed to a CR828 Semi-Automatic Creaser with an up-grade kit

Features of the CR828 Semi-Electric Automatic Creaser

- Quick and easy set-up, remove from packaging, install paper stops, plug in foot operation pedal, plug into outlet and you are ready to begin producing professional quality creased literature
- 3-button control panel: Crease, Foot Pedal On/Off, Reverse Test/Dejam
- Foot pedal operation (default is "On", can be turned to "Off"
- Automatic Jam detection
- You can either use the foot pedal or use the Crease button, two options for completing projects!







CR818 & CR828

Manual and Semi-Automatic Paper Creaser

| al Creaser Comparison | Product Name | Maximum Paper Width | Minimum Paper Size | Maximum Paper Weight | Mimimum Stop Position | Maximum Stop Position | Crease W x D | Dimensions W x D x H | Weight (lbs.) | Notes |
|-----------------------|---------------------------------------|---------------------------|--------------------------|----------------------------|-----------------------------|-----------------------------|--------------------------------|-------------------------|------------------|---|
| | CR818 Martin Yale* | 18.2" (63mm) | 2.5" (63mm) | 16 pt. (130 cover) | 15/16" (23mm) | 14" (355mm) | .063" (1.6mm) x .031 (.8mm) | 24" x 21" x 5.25" | 26 | Scale in inches and metric, able to retrofit to semi-automatic, U.S. made |
| | FD 210M Formax* | up to 18" (460mm) | 3.5" | up to 14pt. cover | 1" (25mm) | 13" (330mm) | .05" (1.3mm) x .015" (.4mm) | 23.6" x 19.29" x 5" | 22 | Scale in inches and metric |
| Manual | ProCrease 52 Spiral Binding | 19.3" | N/A | N/A | N/A | N/A | 2mm | 25.75" x 22.25" x 6" | 25 | N/A |
| | DocuCrease 52 Standard Duplicating | 20.5" | N/A | 12 pt. cover | 1" (25mm) | 25.5" | N/A | 29.5" x 21.75" x 5" | 37.4 | N/A |

| ni-Auto Creaser Comparison | Product Name | Maximum Paper Width | Minimum Paper Size | Maximum Paper Weight | Mimimum Stop Position | Maximum Stop Position | Crease W x D | Dimensions W x D x H | Weight (lbs.) | Notes |
|----------------------------|---|---------------------------|--------------------------|----------------------------|-----------------------------|-----------------------------|--------------------------------|-------------------------|------------------|---|
| | CR828 Martin Yale* | 18.2" (63mm) | 2.5" (63mm) | 16 pt. (130 cover) | 15/16" (23mm) | 14" (355mm) | .063" (1.6mm) x .031 (.8mm) | 24" x 21" x 7" | 33.5 | Foot pedal, hands free operation, auto jam detect, dejam/ reverse, scale in inches and metric, U.S. made |
| | FD 215S Formax® | up to 18" (460mm) | 5.75" (146mm) | 18 pt. cover | 1.8" (46mm) | 14.75" (375mm) | .062" (1.6mm) | 27.98" x 21.25" x 9" | 83 | Foot pedal, hands free operation |
| Semi | EasyCrease Pro [®] Standard Duplicating | 19.3" | N/A | 14 pt. cover | 1.1" | 17.18" | 1.6mm x 1.2mm | 29" x 19" x 8.5" | 49 | Foot pedal, hands free operation |